

**IN THE DRAWINGS:**

The attached sheet of drawings (Sheet 39/39) includes changes to Fig. 46. This sheet replaces the original sheet filed with the present application. In Fig. 46, the indicators "SW1", "SW2", "SW3" and "SW4" were added to indicate the first through the fourth switches, described in the specification. This sheet of corrected drawings was inadvertently omitted from the Response filed April 1, 2005. Entry of the above-discussed replacement sheets is respectfully requested.

### REMARKS

The Office Action dated May 10, 2005 has been received and carefully noted. The above amendments to the drawings, and the following remarks, are submitted as a full and complete response thereto.


The attached sheet of drawings (Sheet 39/39) includes changes to Fig. 46. This sheet replaces the original sheet filed with the present application. In Fig. 46, the indicators "SW1", "SW2", "SW3" and "SW4" were added to indicate the first through the fourth switches, described in the specification. This sheet of corrected drawings was inadvertently omitted from the Response filed April 1, 2005. Entry of the above-discussed replacement sheets is respectfully requested.

Applicants note that prosecution on the merits, with respect to the above-cited application, is closed in accordance with *Ex parte Quayle*. It is respectfully asserted that the above-discussed replacement sheet responds to all of the outstanding issues addressed in the Office Action and that the application is now ready to issue. Applicants respectfully request that the Examiner allow the application to proceed to issue.

If for any reason the Examiner determines that the application is not now in condition for allowance, it is respectfully requested that the Examiner contact, by telephone, the Applicants' undersigned attorney at the indicated telephone number to arrange for an interview to expedite the disposition of this application.

In the event this paper is not being timely filed, the applicant respectfully petitions for an appropriate extension of time. Any fees for such an extension together with any additional fees may be charged to Counsel's Deposit Account 50-2222.

Respectfully submitted,



Kevin F. Turner  
Registration No. 43,437

**Customer No. 32294**  
SQUIRE, SANDERS & DEMPSEY LLP  
14<sup>TH</sup> Floor  
8000 Towers Crescent Drive  
Tysons Corner, Virginia 22182-2700  
Telephone: 703-720-7800  
Fax: 703-720-7802

KFT:jf

Enclosure: Replacement Drawing Sheet 39/39